



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

05 March 2021

Volcano CSD

Attn: Nick Lawson

P O Box 72

Volcano, CA 95689

RE: Routine - Coliform

Work Order: 21B3679

Enclosed are the results of analyses for samples received by the laboratory on 02/25/21 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/05/21 09:37

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Cleveland Tunnel	21B3679-01	Water	02/25/21 09:30	02/25/21 14:00



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/05/21 09:37

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	ELAP#	Method	Note
Cleveland Tunnel (21B3679-01)									
				Sample Type: Water					Sampled: 02/25/21 09:30
Microbiological Parameters by APHA Standard Methods									
Total Coliforms	ND MPN/100mL	1.0	1	AB14905	02/25/21 14:27	02/26/21 14:46	2922	SM9223B	
E. Coli	ND MPN/100mL	1.0	1	AB14905	02/25/21 14:27	02/26/21 14:46	2922	SM9223B	



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551


Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/05/21 09:37

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference



Corporate Laboratory (1551)
208 Mason Street, Ukiah CA 95482
707.468.0401 (phone)
707.468.5287 (fax)
clientservices@alpha-labs.com

North Bay Laboratory (2303)
110 Liberty Street, Petaluma CA 94952

Bay Area Laboratory (2728)
282 Rickenbacker Circle, Livermore CA 94551

Central Valley Laboratory (2922)
9090 Union Park Way #113, Elk Grove CA 95624

San Diego Service Center
2722 Loker Ave West, Ste A, Carlsbad CA 92010

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 21B 3679 Pg of

Report to		Invoice to (if different)					Project Information					Signature below authorizes work under terms stated on reverse side.																																																																																																																																										
Company: Volcano CSD		Contact:					Project ID: Colliform					<table border="1"> <thead> <tr> <th colspan="12">Analysis Request</th> <th>TAT</th> <th>TEMP °C</th> </tr> </thead> <tbody> <tr> <td colspan="12" rowspan="3"></td> <td>Standard 10 days <input type="radio"/></td> <td>Ukiah</td> </tr> <tr> <td>Standard 5 days <input checked="" type="radio"/></td> <td>Livermore</td> </tr> <tr> <td>48 hours <input type="radio"/></td> <td>Elk Grove 44</td> </tr> <tr> <td colspan="12" rowspan="2"></td> <td>Other <input type="radio"/></td> <td>Petaluma</td> </tr> <tr> <td>Preapproval required <input type="radio"/></td> <td>Carlsbad</td> </tr> <tr> <td colspan="12"></td> <td colspan="2">Notes / DDW Source Codes</td> </tr> </tbody> </table>												Analysis Request												TAT	TEMP °C													Standard 10 days <input type="radio"/>	Ukiah	Standard 5 days <input checked="" type="radio"/>	Livermore	48 hours <input type="radio"/>	Elk Grove 44													Other <input type="radio"/>	Petaluma	Preapproval required <input type="radio"/>	Carlsbad													Notes / DDW Source Codes																																																																		
Analysis Request																								TAT	TEMP °C																																																																																																																													
																								Standard 10 days <input type="radio"/>	Ukiah																																																																																																																													
																								Standard 5 days <input checked="" type="radio"/>	Livermore																																																																																																																													
												48 hours <input type="radio"/>	Elk Grove 44																																																																																																																																									
												Other <input type="radio"/>	Petaluma																																																																																																																																									
												Preapproval required <input type="radio"/>	Carlsbad																																																																																																																																									
												Notes / DDW Source Codes																																																																																																																																										
Attn: Nick Lawson		Email address:					Project No: 0300016					<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Sampling</th> <th colspan="5">Container</th> <th colspan="5">Preservative</th> <th colspan="5">Matrix</th> <th rowspan="2">Total Number of Containers per Sample ID</th> <th rowspan="2">CV</th> <th rowspan="2">Quantity</th> </tr> <tr> <th>Well</th> <th></th> <th>Date</th> <th>Time</th> <th>40ml VOA Vial</th> <th>Plastic</th> <th>Glass</th> <th>Sleeve</th> <th>Other</th> <th>HCl</th> <th>HNO3</th> <th>H2SO4</th> <th>Other</th> <th>None</th> <th>Drinking Water</th> <th>Wastewater</th> <th>Soil</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td>Well 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Well 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Cleveland Tunnel</td> <td></td> <td>2/25</td> <td>0930</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity	Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	Well 1																			1	X									Well 2																			1	X									Cleveland Tunnel		2/25	0930					X						X	X				1	X								
Sample Identification		Sampling		Container					Preservative															Matrix					Total Number of Containers per Sample ID	CV	Quantity																																																																																																																							
Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4													Other	None	Drinking Water	Wastewater	Soil				Other																																																																																																																						
Well 1																			1	X																																																																																																																																		
Well 2																			1	X																																																																																																																																		
Cleveland Tunnel		2/25	0930					X						X	X				1	X																																																																																																																																		
Address: PO Box 72 Volcano CA 95689		Address:					PO Number:					<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Sampling</th> <th colspan="5">Container</th> <th colspan="5">Preservative</th> <th colspan="5">Matrix</th> <th rowspan="2">Total Number of Containers per Sample ID</th> <th rowspan="2">CV</th> <th rowspan="2">Quantity</th> </tr> <tr> <th>Well</th> <th></th> <th>Date</th> <th>Time</th> <th>40ml VOA Vial</th> <th>Plastic</th> <th>Glass</th> <th>Sleeve</th> <th>Other</th> <th>HCl</th> <th>HNO3</th> <th>H2SO4</th> <th>Other</th> <th>None</th> <th>Drinking Water</th> <th>Wastewater</th> <th>Soil</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td>Well 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Well 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Cleveland Tunnel</td> <td></td> <td>2/25</td> <td>0930</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity	Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	Well 1																			1	X									Well 2																			1	X									Cleveland Tunnel		2/25	0930					X						X	X				1	X								
Sample Identification		Sampling		Container					Preservative															Matrix					Total Number of Containers per Sample ID	CV	Quantity																																																																																																																							
Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other																																																																																																																																					
Well 1																			1	X																																																																																																																																		
Well 2																			1	X																																																																																																																																		
Cleveland Tunnel		2/25	0930					X						X	X				1	X																																																																																																																																		
Phone/Fax: 209-304-7626		Phone/Fax:										<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Sampling</th> <th colspan="5">Container</th> <th colspan="5">Preservative</th> <th colspan="5">Matrix</th> <th rowspan="2">Total Number of Containers per Sample ID</th> <th rowspan="2">CV</th> <th rowspan="2">Quantity</th> </tr> <tr> <th>Well</th> <th></th> <th>Date</th> <th>Time</th> <th>40ml VOA Vial</th> <th>Plastic</th> <th>Glass</th> <th>Sleeve</th> <th>Other</th> <th>HCl</th> <th>HNO3</th> <th>H2SO4</th> <th>Other</th> <th>None</th> <th>Drinking Water</th> <th>Wastewater</th> <th>Soil</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td>Well 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Well 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Cleveland Tunnel</td> <td></td> <td>2/25</td> <td>0930</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity	Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	Well 1																			1	X									Well 2																			1	X									Cleveland Tunnel		2/25	0930					X						X	X				1	X								
Sample Identification		Sampling		Container					Preservative															Matrix					Total Number of Containers per Sample ID	CV	Quantity																																																																																																																							
Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other																																																																																																																																					
Well 1																			1	X																																																																																																																																		
Well 2																			1	X																																																																																																																																		
Cleveland Tunnel		2/25	0930					X						X	X				1	X																																																																																																																																		
Email Address:												<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Sampling</th> <th colspan="5">Container</th> <th colspan="5">Preservative</th> <th colspan="5">Matrix</th> <th rowspan="2">Total Number of Containers per Sample ID</th> <th rowspan="2">CV</th> <th rowspan="2">Quantity</th> </tr> <tr> <th>Well</th> <th></th> <th>Date</th> <th>Time</th> <th>40ml VOA Vial</th> <th>Plastic</th> <th>Glass</th> <th>Sleeve</th> <th>Other</th> <th>HCl</th> <th>HNO3</th> <th>H2SO4</th> <th>Other</th> <th>None</th> <th>Drinking Water</th> <th>Wastewater</th> <th>Soil</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td>Well 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Well 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Cleveland Tunnel</td> <td></td> <td>2/25</td> <td>0930</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity	Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	Well 1																			1	X									Well 2																			1	X									Cleveland Tunnel		2/25	0930					X						X	X				1	X								
Sample Identification		Sampling		Container					Preservative															Matrix					Total Number of Containers per Sample ID	CV	Quantity																																																																																																																							
Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other																																																																																																																																					
Well 1																			1	X																																																																																																																																		
Well 2																			1	X																																																																																																																																		
Cleveland Tunnel		2/25	0930					X						X	X				1	X																																																																																																																																		
Field Sampler - Printed Name & Signature: Nick Lawson <i>Nick Lawson</i>												<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Sampling</th> <th colspan="5">Container</th> <th colspan="5">Preservative</th> <th colspan="5">Matrix</th> <th rowspan="2">Total Number of Containers per Sample ID</th> <th rowspan="2">CV</th> <th rowspan="2">Quantity</th> </tr> <tr> <th>Well</th> <th></th> <th>Date</th> <th>Time</th> <th>40ml VOA Vial</th> <th>Plastic</th> <th>Glass</th> <th>Sleeve</th> <th>Other</th> <th>HCl</th> <th>HNO3</th> <th>H2SO4</th> <th>Other</th> <th>None</th> <th>Drinking Water</th> <th>Wastewater</th> <th>Soil</th> <th>Other</th> </tr> </thead> <tbody> <tr> <td>Well 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Well 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Cleveland Tunnel</td> <td></td> <td>2/25</td> <td>0930</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td>1</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity	Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	Well 1																			1	X									Well 2																			1	X									Cleveland Tunnel		2/25	0930					X						X	X				1	X								
Sample Identification		Sampling		Container					Preservative					Matrix					Total Number of Containers per Sample ID	CV	Quantity																																																																																																																																	
Well		Date	Time	40ml VOA Vial	Plastic	Glass	Sleeve	Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other																																																																																																																																					
Well 1																			1	X																																																																																																																																		
Well 2																			1	X																																																																																																																																		
Cleveland Tunnel		2/25	0930					X						X	X				1	X																																																																																																																																		
Relinquished by: <i>Nick Lawson</i>		Received by: <i>[Signature]</i>					Date: 2/25		Time: 1000		DDW Write On EDT Transmission? <input type="radio"/> Yes <input type="radio"/> No																																																																																																																																											
EDF to (Email Address):							Date: 2/25/21		Time: 1250		State System Number: _____ If "Y" please enter the Source Number(s) in the column above																																																																																																																																											
Travel and Site Time:							Date: 2/25/21		Time: 1400		CA Geotracker EDF Report? <input type="radio"/> Yes <input type="radio"/> No																																																																																																																																											
Misc. Supplies:											Global ID: _____ Sampling Company Log Code: _____																																																																																																																																											

P.005

14:24

02/25/2021

RX Date/Time