



*Alpha*

Alpha Analytical Laboratories, Inc.

email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

24 March 2020

Volcano CSD

Attn: George Barnes

P O Box 72

Volcano, CA 95689

RE: Routine - Coliform

Work Order: 20C1231

Enclosed are the results of analyses for samples received by the laboratory on 03/10/20 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD  
P O Box 72  
Volcano, CA 95689

Project Manager: George Barnes  
Project: Routine - Coliform  
Project Number: 0300016

Reported:  
03/24/20 07:30

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728  
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922  
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303  
San Diego Service Center: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510

#### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Sample Site Country Store	20C1231-01	Water	03/10/20 12:30	03/10/20 14:00
Sample Site Clap Board	20C1231-02	Water	03/10/20 12:20	03/10/20 14:00



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD P O Box 72 Volcano, CA 95689	Project Manager: George Barnes Project: Routine - Coliform Project Number: 0300016	Reported: 03/24/20 07:30
--	--	-----------------------------

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	Method	Note
<b>Sample Site Country Store (20C1231-01)</b>		<b>Sample Type: Water</b>			<b>Sampled: 03/10/20 12:30</b>			
<b>Microbiological Parameters by APHA Standard Methods</b>								
Total Coliforms	ND MPN/100mL	1.0	1	AC03923	03/10/20 15:30	03/11/20 11:05	SM9223B	
E. Coli	ND MPN/100mL	1.0	1	AC03923	03/10/20 15:30	03/11/20 11:05	SM9223B	
<b>Sample Site Clap Board (20C1231-02)</b>		<b>Sample Type: Water</b>			<b>Sampled: 03/10/20 12:20</b>			
<b>Microbiological Parameters by APHA Standard Methods</b>								
Total Coliforms	ND MPN/100mL	1.0	1	AC03923	03/10/20 15:30	03/11/20 11:05	SM9223B	
E. Coli	ND MPN/100mL	1.0	1	AC03923	03/10/20 15:30	03/11/20 11:05	SM9223B	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)  
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD  
P O Box 72  
Volcano, CA 95689

Project Manager: George Barnes  
Project: Routine - Coliform  
Project Number: 0300016

Reported:  
03/24/20 07:30

**Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference



Corporate Laboratory  
208 Mason Street, Ukiah CA 95482  
707-468-0401 F) 707-468-5267  
email: clientservices@alpha-labs.com

ELAP Certifications  
Ukiah 1551 / Dublin 2728 / Elk Grove 2922

Bay Area Laboratory  
6398 Dougherty Rd #35, Dublin CA 94568  
925-828-6226 F) 925-828-6309

Central Valley Laboratory  
9090 Union Park Way #113, Elk Grove CA 95624  
916-686-5190 F) 916-686-5192

# Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 20C1231 Pg      of     

Signature below authorizes work under terms stated on reverse side.

Report to		Invoice to (if different)				Project Information				Analysis Request												TAT		Temp upon Receipt °C								
Company: Volcano CSD		Contact:				Project ID: Routine-Coliform				<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-weight: bold; margin-right: 5px;">Total Number of Containers per Sample ID</div> <div style="font-size: 2em; font-weight: bold; margin-right: 5px;">CV - TCEC Quantitray</div> <div style="font-size: 2em; font-weight: bold;">18</div> </div>												Standard 10 days <input type="radio"/>		Lab preapproval required		Ukiah temp:						
Attn: George Barnes		Email address:				Project No: 0300016-Raw																RUSH: 5 days X 48 hours <input type="radio"/>				Dublin temp:						
Address: PO Box 72 Volcano, CA 95689		Address:				PO Number:																Other: <input type="radio"/>				Elk Grove temp: 4.9						
Phone/Fax: 209-296-4888		Phone/Fax:				Internal Lab Use:																<input type="radio"/>										
Email Address:																																
Field Sampler - Printed Name & Signature: <i>George Barnes</i>						Container		Preservative				Matrix																Sample Notes or CDPH Source Numbers:				
Sample Identification		Sampling		40ml Vial	Poly	Glass	Sleeve	Other	HCl	HNO3	NaOH	Na2S2O3	None	Water	Soil													Other				
		Date	Time																													
<del>Sample Site</del> <i>COUNTRY STAR</i>		<i>3-10</i>	<i>12:30</i>		X							X		X															1	X	<i>0300016-001</i>	
<del>Sample Site</del> <i>Clap board</i>		<i>3-10</i>	<i>12:20</i>		X							X		X			1	X	<i>0300016-002</i>													
<del>Cleveland</del>					X							X		X			1	X	<i>0300016-003</i>													
Relinquished by <i>George Barnes</i>						Received by <i>[Signature]</i>						Date <i>3.10.20</i>		Time <i>1300</i>		CDPH Write On EDT Transmission? <input checked="" type="radio"/> Yes <input type="radio"/> No																
												<i>3.10.20</i>		<i>1400</i>		State System Number: <u>0300016</u> If "Y" please enter the Source Number(s) in the column above																
												Mail Hardcopy to DDW-? <input type="radio"/> Yes <input type="radio"/> No																				
												Hardcopy to DJW attn:																				
												Travel and Site Time:		Mileage:		Misc. Supplies:																

**FAXED**