



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

25 March 2022

Volcano CSD

Attn: Nick Lawson

P O Box 72

Volcano, CA 95689

RE: Routine - Coliform

Work Order: 22C2151

Enclosed are the results of analyses for samples received by the laboratory on 03/15/22 14:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/25/22 11:10

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|--|---------------|--------|----------------|----------------|
| Odd Month: 0300016 Routine @ 16430 Clapboard | 22C2151-01 | Water | 03/15/22 07:55 | 03/15/22 14:15 |



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

| | | |
|--|--|-----------------------------|
| Volcano CSD P O Box 72 Volcano, CA 95689 | Project Manager: Nick Lawson Project: Routine - Coliform Project Number: 0300016 | Reported: 03/25/22 11:10 |
|--|--|-----------------------------|

| | Result | Units | Reporting Limit | Dilution | Batch | Prepared | Analyzed | ELAP# | Method | Note |
|--|--------|----------|---------------------------|----------|---------|--------------------------------|----------------|-------|-------------|------|
| Odd Month: 0300016 Routine @ 16430 Clapboard (22C2151-01) | | | Sample Type: Water | | | Sampled: 03/15/22 07:55 | | | | |
| Conventional Chemistry Parameters by APHA/EPA Methods | | | | | | | | | | |
| pH | 6.75 | pH Units | 1.68 | 1 | AC24053 | 03/15/22 15:25 | 03/15/22 15:25 | 2922 | SM4500-H+ B | T-14 |
| Total Residual Chlorine | 0.60 | mg/L | 0.10 | 1 | AC23940 | 03/15/22 15:12 | 03/15/22 15:12 | 2922 | SM4500-Cl F | T-14 |
| Microbiological Parameters by APHA Standard Methods | | | | | | | | | | |
| Total Coliforms | Absent | . | 1 | 1 | AC24031 | 03/15/22 15:28 | 03/16/22 16:12 | 2922 | Colisure | |
| E. Coli | Absent | . | 1 | 1 | AC24031 | 03/15/22 15:28 | 03/16/22 16:12 | 2922 | Colisure | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/25/22 11:10

Notes and Definitions

A Absent

P Present

T-14 Residual chlorine, dissolved oxygen, sulfite, and pH must be analyzed in the field to meet the EPA specified 15 minute hold time.

ND Analyte NOT DETECTED at or above the reporting limit

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

Non-accredited analytes are reported only when ELAP accreditation for a requested analyte method pair is not available. For a list of accredited analytes, view our certificates at the Company link on our website at www.alpha-labs.com or contact your Project Manager directly.

| Report to | | Invoice to (if different) | | Project Information | | | | | | | | | | Signature below authorizes work under terms stated on reverse side. | | | | | | | | | | | | | |
|--|--|---|------|--|------|--------------|--------|--|-----|--------|------|---------|------|---|--|------------------------|---|---|---|---|--|--|--|--------------------------------------|------|----------------------|--|
| Company: Volcano CSD | | Contact: | | Project ID: Colorm - Routine | | | | | | | | | | Analysis Request | | | | | | | | | | TAT | | Temp upon Receipt °C | |
| Attn: Nick Lawson | | Email address: | | Project No: | | | | | | | | | | | | | | | | | | | | Standard 10 days | | Ukiah temp: | |
| Address: PO Box 72 Volcano, CA 95689 | | Address: | | PO Number: | | | | | | | | | | Standard 5 days X 48 hours | | Dublin temp: | | | | | | | | | | | |
| Phone/Fax: 209-304-7628 | | Phone/Fax: | | Internal Lab Use: 189, 189(a) & 190, 190(a) | | | | | | | | | | Other: ____ days | | Elk Grove temp: 5.5 | | | | | | | | | | | |
| Email Address: nlwsn49@gmail.com | | Field Sampler - Printed Name & Signature: | | Container | | Preservative | | | | Matrix | | | | Total Number of Containers per Sample ID CV - PH CV - Chlorine Residual CV - PA Courier | | | | | | | | | | Sample Notes or CDPH Source Numbers: | | | |
| Sample Identification | | Sampling | | 40ml Vial | Poly | Glass | Sleeve | Other | HCl | HNO3 | NaOH | Na2S2O3 | None | | | | | | | | | | | Water/DW | Soil | Other | |
| EVEN MONTH: 0300016 | | Date | Time | | X | X | | | | | | | X | X | | | 1 | X | X | X | | | | | | | |
| Routine as country store | | | | | X | | | | | | | X | | X | | | 1 | | X | | | | | | | | |
| ODD MONTH: 0300016 | | 3-15-27 | 0755 | | X | X | | | | | | | X | X | | | 1 | X | X | X | | | | | | | |
| Routine @ 16430 Clapboard | | 1 | 1 | | X | | | | | | | X | | X | | | 1 | | X | | | | | | | | |
| Relinquished by | | Received by | | Date | | Time | | CDPH Write On EDT Transmission? Yes No | | | | | | | | | | | | | | | | | | | |
| K | | AMM | | 3-15-27 | | 1415 | | State System Number: _____ If "Y" please enter the Source Number(s) in the column above | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Mail Hardcopy to DDW-? Yes No | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Hardcopy to LDW attn: | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Travel and Site Time: Mileage: Misc. Supplies: | | | | | | | | | | | | | | | | | | | |