



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

30 December 2021

Volcano CSD

Attn: Nick Lawson

P O Box 72

Volcano, CA 95689

RE: Source Chemical Monitoring

Work Order: 21L3351

Enclosed are the results of analyses for samples received by the laboratory on 12/21/21 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Source Chemical Monitoring
Project Number: 0300016

Reported:
12/30/21 10:07

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|-----------|---------------|--------|----------------|----------------|
| Well #1 | 21L3351-01 | Water | 12/21/21 09:00 | 12/21/21 14:00 |
| Well #2 | 21L3351-02 | Water | 12/21/21 09:00 | 12/21/21 14:00 |



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
 P O Box 72
 Volcano, CA 95689

Project Manager: Nick Lawson
 Project: Source Chemical Monitoring
 Project Number: 0300016

Reported:
 12/30/21 10:07

| | Result | Units | Reporting Limit | Dilution | Batch | Prepared | Analyzed | ELAP# | Method | Note |
|-----------------------------------|--------|-------|---------------------------|----------|---------|--------------------------------|----------------|-------|-----------|------|
| Well #1 (21L3351-01) | | | Sample Type: Water | | | Sampled: 12/21/21 09:00 | | | | |
| Anions by EPA Method 300.0 | | | | | | | | | | |
| Nitrate as N | ND | mg/L | 0.40 | 1 | AL15118 | 12/21/21 21:41 | 12/21/21 21:41 | 2922 | EPA 300.0 | |
| Well #2 (21L3351-02) | | | Sample Type: Water | | | Sampled: 12/21/21 09:00 | | | | |
| Anions by EPA Method 300.0 | | | | | | | | | | |
| Nitrate as N | ND | mg/L | 0.40 | 1 | AL15118 | 12/21/21 22:39 | 12/21/21 22:39 | 2922 | EPA 300.0 | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689


Project Manager: Nick Lawson
Project: Source Chemical Monitoring
Project Number: 0300016

Reported:
12/30/21 10:07

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Non-accredited analytes are reported only when ELAP accreditation for a requested analyte is not available. For a list of accredited analytes, view our certificates at the Company link on our website at www.alpha-labs.com or contact your Project Manager directly.



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: clientservices@alpha-labs.com

Bay Area Laboratory
262 Rickenbacker Circle, Livermore, CA 94551
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95624
916-686-5190 F) 916-686-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No: 21L3351 Pg. of

| Report to | | Invoice to (if different) | | Project Information | | | Signature below authorizes work under terms stated on reverse side. | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---------------------------|------|-----------------------------|------|--------------|--|---------------|--------|--------------|------|---|------|----------|------|-------|--|---|---|---|--|--|--|--|--|--|--|--|--|
| Company: Volcano CSD | | Contact: | | Project ID: | | | <div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);"> Total Number of Containers per Sample ID CV - N03-N DW 300 </div> <div style="font-size: 2em; font-weight: bold; color: black;"> <i>press</i> </div> </div> | | | | | | | | | | | | | | | | | | | | | | |
| Attn: Nick Lawson | | Email address: | | SCM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address: PO Box 72 Volcano, CA 95689 | | Address: | | Project No: 0300016-Raw | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phone/Fax: 209-304-7628 | | Phone/Fax: | | PO Number: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Email Address: nlwsn49@gmail.com | | | | Internal Lab Use: 400(a) | | | | | | | | | | | | | | | | | | | | | | | | | |
| Field Sampler - Printed Name & Signature: <i>Nick Lawson / Nd Lee</i> | | | | Container: | | Preservative | | | Matrix | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | | Sampling | | 40ml Vial | Poly | Glass | Sleeve | Other | HCl | HNO3 | NaOH | Na2S2O3 | None | Water/DW | Soil | Other | | | | | | | | | | | | | |
| | | Date | Time | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Well #1 | | 12-21 | 0900 | | x | | | | | | | | x | x | | | | 1 | x | | | | | | | | | | |
| Well #2 | | ↓ | ↓ | | x | | | | | | | | x | x | | | | 1 | x | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | N02/N03 DUE EVERY 3 YEARS FROM JAN 2017 | | | | | | | | | |
| Relinquished by <i>Nd Lee</i> | | | | Received by <i>R</i> | | | | Date 12-21 | | Time 1000 | | CDPH Write On EDT Transmission? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | | | | | | | | | | |
| | | | | | | | | 12-21 | | 1250 | | State System Number: 0300016 | | | | | | | | | | | | | | | | | |
| | | | | | | | | 12-21 | | 1400 | | if "Y" please enter the Source Number(s) in the column above. | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Mail Hardcopy to DDW-? <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Hardcopy to DDW attn: | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Misc. Supplies: | | | | | | | | | | | | | | | | | |